



YY YY CCCCCCCC DDDDDDDD RRRRRRRR IIIIII VV VV EEEEEEEE RRRRRRRR  
YY YY CCCCCCCC DDDDDDDD RRRRRRRR IIIIII VV VV EEEEEEEE RRRRRRRR  
YY YY CC DD DD RR RR IIIIII VV VV EE RR  
YY YY CC DD DD RR RR IIIIII VV VV EE RR  
YY YY CC DD DD RR RR IIIIII VV VV EE RR  
YY YY CC DD DD RR RR IIIIII VV VV EE RR  
YY YY CC DD DD RR RR IIIIII VV VV EE RR  
YY YY CC DD DD RR RR IIIIII VV VV EE RR  
YY YY CC DD DD RR RR IIIIII VV VV EE RR  
YY YY CC DD DD RR RR IIIIII VV VV EE RR  
YY YY CC DD DD RR RR IIIIII VV VV EE RR  
YY YY CCCCCCCC DDDDDDDD RR RR IIIIII VV VV EEEEEEEE RR  
YY YY CCCCCCCC DDDDDDDD RR RR IIIIII VV VV EEEEEEEE RR

MM MM AAAAAA PPPPPP  
MM MM AAAAAA PPPPPP  
MMMM Mmmm AA AA PP PP  
MMMM Mmmm AA AA PP PP  
MM MM MM AA AA PP PP  
MM MM MM AA AA PP PP  
MM MM AA AA AA PPPPPP  
MM MM AA AA AA PPPPPP  
MM MM AA AA AA PP  
MM MM AA AA AA PP

Tot  
Usi  
Tot  
Num  
0 1  
A 1  
LIN  
IVE  
BAS

+-----+  
! Object Module Synopsis !  
+-----+

Module Name	Ident	Bytes	File	Creation Date	Creator
YCDRIVER	V04-000	2255	\$255\$DUA28:[TTDRV.R.OBJ]TTDRV.R.OLB;1	16-SEP-1984 02:25	VAX/VMS Macro V04-00
SYS	V04-000	0	\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00

!-----+  
! Image Section Synopsis !  
+-----+

Cluster	Type	Pages	Base Addr	Disk	VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
DEFAULT_CLUSTER	2	5	00000000	2	0	READ	WRITE	COPY ON REF			

Key for special characters above:

!-----+  
! R - Relocatable !  
! P - Protected !  
+-----+

mod

/\*

/\*

/\*

/\*

-----  
Program Section Synopsis

Psect Name	Module Name	Base	End	Length	Align	Attributes
-----	-----	----	---	-----	-----	-----
\$\$\$105_PROLOGUE	YCDRIVER	00000000	000000E7	000000E8 (	232.)	BYTE 0 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
		00000000	000000E7	000000E8 (	232.)	BYTE 0
\$\$\$115_DRIVER	YCDRIVER	000000E8	000008CE	000007E7 (	2023.)	LONG 2 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
		000000E8	000008CE	000007E7 (	2023.)	LONG 2

end

## ! Symbol Cross Reference !

Symbol	Value	Defined By	Referenced By ...
EXESGL_ABSTIM	80002B38	SYS	YCDRIVER
EXESGL_TENUSEC	80002C50	SYS	YCDRIVER
EXESGL_UBDELAY	80002C54	SYS	YCDRIVER
IOCSALOUBAMAPN	8000D0AF	SYS	YCDRIVER
IOCSMNTVER	8000CF43	SYS	YCDRIVER
IOCSRRELMAPREG	8000D28B	SYS	YCDRIVER
IOCSRRETURN	8000D355	SYS	YCDRIVER
MMGSGL_SPTBASE	80003F3C	SYS	YCDRIVER
PR\$ IPC	000000012	SYS	YCDRIVER
SYSSK VERSION	48513258	SYS	
TTY\$GB_DEFSPEED	80003DA9	SYS	YCDRIVER
TTY\$GB_PARITY	80003DAB	SYS	YCDRIVER
TTY\$GB_RSPEED	80003DAA	SYS	YCDRIVER
TTY\$GB_SILOTIME	80003DCA	SYS	YCDRIVER
TTY\$GL_DEFCHAR	80003DB0	SYS	YCDRIVER
TTY\$GL_DEFCHAR2	80003DB4	SYS	YCDRIVER
TTY\$GL_DPT	80000EDC	SYS	YCDRIVER
TTY\$GL_OWNUIIC	80003DC4	SYS	YCDRIVER
TTY\$GW_DEFBUF	80003DAC	SYS	YCDRIVER
TTY\$GW_DMASIZE	80003DBE	SYS	YCDRIVER
TTY\$GW_PROT	80003DC0	SYS	YCDRIVER
YC\$DDT	000000E8-R	YCDRIVER	
YC\$DPT	00000000-R	YCDRIVER	
YC\$INITIAL	00000169-R	YCDRIVER	
YC\$INITLINE	000001EF-R	YCDRIVER	
YC\$INTINP	00000398-R	YCDRIVER	
YC\$INTOUT	00000764-R	YCDRIVER	
YC\$STARTIO	00000435-R	YCDRIVER	

-----+  
! Symbols By Value !  
-----+

Value	Symbols...
-----	-----
00000000	R-YC\$DPT
00000012	PRS_IPL
000000E8	R-YC\$DDT
00000169	R-YC\$INITIAL
000001EF	R-YC\$INITLINE
00000398	R-YC\$INTINP
00000435	R-YC\$STARTIO
00000764	R-YC\$INTOUT
48513258	SYSSK VERSION
80000EDC	TTY\$GC_DPT
80002B38	EXE\$GL_ABSTIM
80002C50	EXE\$GL_TENUSEC
80002C54	EXE\$GL_UBDELAY
80003DA9	TTY\$GB_DEF SPEED
80003DAA	TTY\$GB_RSPEED
80003DAB	TTY\$GB_PARITY
80003DAC	TTY\$GW_DEFBUF
80003DB0	TTY\$GL_DEFCHAR
80003DB4	TTY\$GL_DEFCHAR2
80003DBE	TTY\$GW_DMASIZE
80003DC0	TTY\$GW_PROT
80003DC4	TTY\$GL_OWNUIC
80003DCA	TTY\$GB_SILOTIME
80003F3C	MMG\$GL_SPTBASE
8000CF43	IOC\$MNTVER
8000D0AF	IOC\$ALOUBAMAPN
8000D288	IOC\$RELMAPREG
8000D355	IOC\$RETURN

Key for special characters above:

-----+  
! \* - Undefined !  
! U - Universal !  
! R - Relocatable !  
! X - External !  
-----+

```
-----+
! Image Synopsis !
-----+
```

Virtual memory allocated:

00000000 000009FF 00000A00 (2560. bytes, 5. pages)

Stack size:

0. pages

Image header virtual block limits:

1: 1. ( 1. block)

Image binary virtual block limits:

0: 0. ( 0. blocks)

Image name and identification:

YCDRIVER V04-000

Number of files:

2.

Number of modules:

2.

Number of program sections:

5.

Number of global symbols:

27.

Number of cross references:

48.

Number of image sections:

1.

Image type:

NOPIC, SHAREABLE. Global Section Match=EQUAL, Ident, Major=18, Minor=15051913

Map format:

FULL WITH CROSS REFERENCE in file \$\_255\$DUA28:[TTDRV.R.LIS]YCDRIVER.MAP;1

Estimated map length:

21. blocks

```
-----+
! Link Run Statistics !
-----+
```

#### Performance Indicators

	Page Faults	CPU Time	Elapsed Time
Command processing:	96	00:00:00.24	00:00:00.50
Pass 1:	77	00:00:00.62	00:00:07.30
Allocation/Relocation:	29	00:00:00.08	00:00:00.58
Pass 2:	38	00:00:00.20	00:00:01.87
Map data after object module synopsis:	17	00:00:00.17	00:00:00.23
Symbol table output:	4	00:00:00.03	00:00:00.61
Total run values:	261	00:00:01.34	00:00:11.09

Using a working set limited to 600 pages and 77 pages of data storage (excluding image)

Total number object records read (both passes): 162

of which 23 were in libraries and 2 were DEBUG data records containing 76 bytes

Number of modules extracted explicitly = 1  
with 0 extracted 'o resolve undefined symbols

0 library searches were for symbols not in the library searched

A total of 4 global symbol table records was written

LINK/USERLIB=PRCC/NOSYSSHR/NOTRACEBACK/NODEBUG/SHARE=EXES:YCDRIVER/CONTIGUOUS/MAP=MAPS:YCDRIVER/FULL/CROSS LIBS:TTDRV.R/INCLUDE=(YCDRIVER) EASM:SYS.STB/SELECTIVE,SYSS\$INPUT/OPTION  
BASE=0

/\*  
/\*

/\*  
/\*  
/\*

end

0402 AH-BT13A-SE  
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION  
CONFIDENTIAL AND PROPRIETARY

